



KONICA MINOLTA

**bizhub** C3321i

Colour A4 multifunctional

**bizhub  
i-SERIES IS  
SMARTER  
WORKING**  
RETHINK IT



Giving Shape to Ideas

## CUSTOMER BENEFITS



**Intuitive operability**  
Operate the bizhub like a smartphone or tablet with fully customised user interface



**Mobile connectivity**  
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Security**  
Secure network integration, data encryption, hard drive overwrite, and advanced user authentication



**Application ecosystem**  
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



**Services**  
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup



**Sustainability**  
Numerous eco features reduce energy consumption and costs

## OPTIONS

1

ENHANCED FEATURES

Barcode fonts  
LK-106

Unicode fonts  
LK-107

OCR A and B fonts  
LK-108

Antivirus  
LK-116

2

CONNECTIVITY

Fax board  
FK-517

Wireless LAN  
UK-221

USB I/F kit  
EK-P08

USB I/F kit  
EK-P09

NFC I/F kit  
EK-P10

I/F cable for CSRC modem  
EK-P11

Biometric authentication  
AU-102

Card authentication  
ID card reader

Mount kit  
MK-P08

3

OTHERS

10-Key pad  
KP-P03

Keyboard holder  
KH-P02

Air cleaning unit  
CU-204

Mount kit  
MK-P09

4

MEDIA INPUT

Paper tray  
PF-P27

Height adjustment unit  
PF-P22

Copier desk  
DK-P04x

5

MEDIA OUTPUT

Off-line stapler  
FS-P04



LEGEND

Mandatory option

Option

This option can only be installed with the respective option above it

## FINISHING FUNCTIONALITIES



Duplex



Corner Stapling (offline)

## DESCRIPTION

### ENHANCED FEATURES

|                          |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| LK-106 Barcode fonts     | Supports native barcode printing                                                     |
| LK-107 Unicode fonts     | Supports native Unicode printing                                                     |
| LK-108 OCR A and B fonts | Supports native OCR A and B font printing                                            |
| LK-116 Antivirus         | Bitdefender® antivirus provides real time scanning of all incoming and outgoing data |

### CONNECTIVITY

|                                 |                                                 |
|---------------------------------|-------------------------------------------------|
| FK-517 Fax board                | Super G3 fax, digital fax functionality         |
| UK-221 Wireless LAN             | Wireless LAN and wireless LAN Access Point Mode |
| EK-P08 USB I/F kit              | USB keyboard connection                         |
| EK-P09 USB I/F kit              | USB keyboard connection; Bluetooth              |
| EK-P10 NFC I/F kit              | To connect with Android mobile devices          |
| EK-P11 I/F cable for CSRC modem | GPRS modem connection for CSRC                  |
| AU-102 Biometric authentication | Finger vein scanner                             |
| ID card reader                  | Various ID card technologies                    |
| MK-P08 Mount kit                | Installation kit for ID card reader             |

### OTHERS

|                          |                                                  |
|--------------------------|--------------------------------------------------|
| KP-P03 10-Key pad        | For use instead of touchscreen                   |
| KH-P02 Keyboard holder   | To place USB keyboard                            |
| CU-204 Air cleaning unit | Improving indoor air quality by reduced emission |
| MK-P09 Mount kit         | Installation kit for air cleaning unit           |

### MEDIA INPUT

|                               |                                                            |
|-------------------------------|------------------------------------------------------------|
| PF-P27 Paper tray             | 500 sheets, A4, 60-90 g/m <sup>2</sup>                     |
| PF-P22 Height adjustment unit | To achieve comfortable height for operation                |
| DK-P04x Copier desk           | Provides storage space for print media and other materials |

### MEDIA OUTPUT

|                         |                            |
|-------------------------|----------------------------|
| FS-P04 Off-line stapler | 20-sheet off-line stapling |
|-------------------------|----------------------------|

## TECHNICAL SPECIFICATIONS

### SYSTEM SPECIFICATIONS

|                              |                                                                                   |
|------------------------------|-----------------------------------------------------------------------------------|
| System speed A4              | Up to 33/33 ppm (mono/colour)                                                     |
| Autoduplex speed A4          | Up to 33/33 ppm (mono/colour)                                                     |
| 1st page out time A4         | 6.0/7.2 sec. (mono/colour)                                                        |
| Warm-up time                 | Approx. 13/15 sec. (mono/colour) <sup>1</sup>                                     |
| Imaging technology           | Laser                                                                             |
| Toner technology             | Simitri® V polymerised toner                                                      |
| Panel size/resolution        | 7" / 800 x 480                                                                    |
| System memory                | 4,096 MB (standard/max)                                                           |
| System hard drive            | 16 GB (standard)                                                                  |
| Interface                    | 10/100/1,000-Base-T Ethernet; USB 2.0;<br>Wi-Fi 802.11 b/g/n/ac (optional)        |
| Network protocols            | TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour                       |
| Automatic document feeder    | Up to 80 originals; A6-A4; 50-128 g/m <sup>2</sup> ; Dualscan ADF                 |
| Printable paper size         | A6-A4; customized paper sizes                                                     |
| Printable paper weight       | 60-210 g/m <sup>2</sup>                                                           |
| Paper input capacity         | 600 sheets / 1,600 sheets (standard/max)                                          |
| Paper tray input (standard)  | 1x 500; A6-A4; custom sizes; 60-210 g/m <sup>2</sup>                              |
| Paper tray input (optional)  | 1x 500 sheets; A4; 60-90 g/m <sup>2</sup> (up to 2x)                              |
| Manual bypass                | 100 sheets; A6-A4; custom sizes; 60-210 g/m <sup>2</sup>                          |
| Finishing modes (optional)   | Group; Sort; Staple (offline)                                                     |
| Automatic duplexing          | A4; 60-210 g/m <sup>2</sup>                                                       |
| Output capacity              | Up to 250 sheets                                                                  |
| Duty cycle (monthly)         | Rec. 6,500 pages; Max. <sup>2</sup> 96,000 pages                                  |
| Toner lifetime               | Black up to 13,000 pages<br>CMY up to 9,000 pages                                 |
| Imaging unit lifetime        | Black up to 155,000 pages (imaging unit)<br>CMY up to 55,000 pages (imaging unit) |
| Power consumption            | 220-240 V / 50/60 Hz; Less than 1.45 kW                                           |
| System dimension (W x D x H) | 420 x 528 x 572 mm (without options)                                              |
| System weight                | Approx. 38.4 kg (without options)                                                 |

### PRINTER SPECIFICATIONS

|                           |                                                                                                                                                                                                |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Print resolution          | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi                                                                                                                                                  |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS                                                                                                                                           |
| Operating systems         | Windows 10 (32/64); Windows 11; Windows Server 2012;<br>Windows Server 2012 R2; Windows Server 2016;<br>Windows Server 2019; Windows Server 2022;<br>macOS 10.14 or later; Unix; Linux; Citrix |
| Printer fonts             | 80 PCL Latin; 137 PostScript 3 Emulation Latin;<br>Barcode fonts (optional); OCR A and B fonts (optional);<br>Unicode fonts (optional)                                                         |
| Mobile printing           | AirPrint (iOS); Mopria (Android);<br>Konica Minolta Mobile Print (iOS/Android)<br>optional: WiFi Direct                                                                                        |

### SCANNER SPECIFICATIONS

|                   |                                                                                                                 |
|-------------------|-----------------------------------------------------------------------------------------------------------------|
| Scan speed        | Up to 28/28 ipm in simplex (mono/colour)<br>Up to 56/56 ipm in duplex (mono/colour)                             |
| Scan resolution   | Up to 600 x 600 dpi                                                                                             |
| Scan modes        | Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);<br>Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan |
| File formats      | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS;<br>Compact XPS; PPTX                                          |
| Scan destinations | 2,000 destinations + 100 groups; LDAP support                                                                   |

### COPIER SPECIFICATIONS

|                 |                                     |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi                       |
| Gradation       | 256 gradations                      |
| Multicopy       | 1-9,999                             |
| Original format | Max. A4                             |
| Magnification   | 25-400% in 0.1% steps; Auto-zooming |

FAX SPECIFICATION

|                  |                                       |
|------------------|---------------------------------------|
| Fax standard     | Super G3 (optional)                   |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution   | Up to 600 x 600 dpi                   |
| Fax compression  | MH; MR; MMR; JBIG                     |
| Fax modem        | Up to 33.6 Kbps                       |
| Fax destinations | 2,000 single + 100 groups             |

SYSTEM FEATURES

|            |                                                                                                                                                                                                                                                                                                                             |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Security   | IP filtering and port blocking; SSL3 and TLS1.1/1.2/1.3 network communication; IPsec support; IEEE 802.1x support;<br>User authentication; Kerberos; Hard drive overwrite;<br>Hard drive data encryption (AES 256); Confidential fax;<br>Print user data encryption<br>optional: Antivirus realtime scanning (Bitdefender®) |
| Accounting | Up to 100 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition<br>optional: Biometric authentication (finger vein scanner);<br>ID card authentication (ID card reader);<br>Authentication by mobile device (Android/iOS)                                   |
| Software   | Data Administrator; Web Connection; Driver Packaging Utility                                                                                                                                                                                                                                                                |

<sup>1</sup> Warm-up time may vary depending on the operating environment and usage

<sup>2</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 g/m<sup>2</sup> quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

